

DAFTAR PUSTAKA

- Abdou, H.M., 1989, Dissolutions Bioavailability and Bioequivalence. Pennsylvania: Mack Publishing Co.
- Aird WC.,2007, Phenotyp Heterogeniety of the Endhotellium II, Representative Vascular Beds, *Circulation Research*, 100, p 174-190.
- Alatas, F., Soewandhi, S.N., Sasongko, L., Ismunandar and Uekusa, H., 2013, Cocystal Formation Between Didanosine and Two Aromatic Acids, *Int J Pharm and Pharm Sci*, 5, 275-280.
- Aruna M.S.,A. K. Babu, M. Thadankiand, M. Gupta., 2011., Solid Dispersions – An Approach to Enhence The Dissolution Rate of Irbesartan, *IJRPC*, 1 (4), p 780-787.
- Badan Penelitian dan Pengembangan Kementrian Kesehatan RI Tahun 2013. Riset Kesehatan dasar (RISKESDAS)2013[Internet]. 2013[Cited 2015 July 13]. Available from:http://www.litbang.depkes.go.id/sites/download/rkd2013/Laporan_Riskesdas2013.PDF
- Badyal,D.K.,Lata H.,Dadhich A.P, 2003. Animal Models of Hypertension and Effect of Drug. *Indian J.of Pharmacology*.35, 349-362
- Bahrendt and Ganz P., 2002, Endothelian Function, From vascular Biology to Clinical Application, *Am. J. Cardiol.*,2002, 90 (10), p 40-48.
- Bhut, V.Z., Prajapati, A.B., Patel, K.N., Patel, B.A., & Patel, P.A., 2012. Solid Dispersions As A Strategy To Enhance Solubility. *Int. J.Pharm. Res. Sch*, 1,1-2.
- Boghra R., Anuradha P., Hetal D., Anil J., 2011, Formulation And Evaluation of Irbesartan Liquisolid Tablets, *Int, Journal ofPharmaceutical Science Rewiew dan Research*, 9 (2), p 32-36.
- Boghra RJ., Pranita CK., Veena SB., 2011., Solubility, Dissolution Rate and Bioavailability Enhancement of Irbesartan by Solid Dispersion Technique, *Chem. Pharm. Bull.*59(4) 438-441
- Chono, S., Takeda, E., Seki, T & Marimoto, K. (2008). *Enhancement of the Dissolution Rate and Gastrointestinal Absorption of Prankulast as a Model Poorly Water Soluble Drug by Grinding with Gelatin*, *Int J Pharm*, 347, 71-78.

- Chowdary KPR., Ravi S., 2013, Optimization of BCD and Superdisintegrant Levels Formulation of Irbesartan Tablet by Two Factorial Design, *Int. J.Chem. Sci, Thec.* 4 (2), 302-306
- Dachriyanus, 2004, Analisis Struktur Senyawa Organik Secara Spektrofotometri, Cetakan Pertama, Trianda Anugrah pratama Padang.
- Della-Monte D., and Rundek T., 2015, The Role of Shear Stress and Arteriogenesis in Maintaining Vascular Homeostatis and Preventing Cerebral. *Atherosclerosis*, 1(1) p. 53-63.
- Departemen Farmakologi dan Terapeutik , 2007, Farmakologi dan Terapeutik ed IV, Jakarta: Gaya Baru.
- Departemen Kesehatan Republik Indonesia, 2014, Farmakope Indonesia, edisi V, Jakarta.
- Dharmashanchar K, and Widlansky ME.,2010, Vascular Endothelial Function and Hypertension, Insights and Direction, *Curr Hypertens Rep.*12 (6), p 448-455.
- Dipiro, JT., and Robert LT., 2005, Pharmacotherapy: A Pathophysiologic Approach, 6th ed., McGraw, USA.
- Doughan AK., Harrison DG.,and Dikallov SI.,2008, Molecular Mechanism of Angiotension II Mediated Mitochondrial Dysfunction; Linking Mitochondrial Oxidative Damage and Vascular Endothelial Dysfunction, *Cir. Res.*, 102 (4), p 488-491.
- Feng M, Steven W, Yunyu Zhang, Martin B, Louis D'Alecy, Keith DiPetrillo. 2008. Validation of Volume-Pressure Recording Tail-Cuff Blood Pressure Measurements. *Am J Hypertens.* 21:1288-1291.
- Ganiswara, S. G. 1995. Farmakologi dan Terapi Ed.4. Jakarta : Fakultas Kedokteran Universitas Indonesia.
- Ganong, W.F., 2005. Review of Medical Physiology. 20th ed. McGraw Hill Companies.
- Ghasemi, A., Hedayati, M. & Biabani, H., 2007. Protein Precipitation Methods Evaluated for Determination of Serum Nitric Oxide End Products by the Griess Assay.
- Hansson GK., 2005, Inflammation, atherosclerosis, and coronary artery disease. *N Engl J.Med.*, 352: 1685–1695.

- Harmely, F., 2017, Kajian Sifat Fisikokimia Irbesartan dengan Poloxamer-188, Laporan Penelitian STIFI Perintis Padang.
- Hirlekar, R., and Kadam V., 2009, Preformulation Study of the Inclusion Complex Irbesartan- β Cyclodextrin, *AAPS, Pharm Sci, Tekh*, 10, 276-281.
- Husain A., Md Sabir A., Pharminder B., 2011, A Review of Pharmacological and Pharmaceutical Profile of Irbesartan, *Pharmacophore*, 2(6), 276-286.
- Ikawati, Z., 2014, Farmakologi Molekuler, Target Aksi Obat dan Mekanisme Molekulernya, Gajah Mada University Press.
- Ingle US., Gaikwad PD., Banakar VH., Pawar SP., 2011, A Review on Solid Dispersion: A Dissolution Enhancement Technique, *IJRAP.*, 2(3), 751-754.
- Jeanin, PY., Pillipe G., Sophi M., Philipe L., 2017, Histamine Induces Interleukin-8 Secretion by Endothelial Cells, *Blood Journal*, 84 (7), 2229-2233.
- Kadirvelu A., Chee KH., Chim CL., 2002, Endothelial Dysfunction in Cardiovascular Diseases. *Med. Progr.* 4-22.
- Kaplanski, G., Reuven P., Koichi A., Jhon K.E., Jeffray AG., and Charles AD., 2017, Activated Platelets Induce Endothelial Secretion of Interleukin-8 invitro Via an Interleukin-1 Mediated event., *Blood Journal*, 81(10), 2492-2495.
- Katzung, 2001, Farmakologi Dasar & Klinis, Jakarta : Penerbit Buku Kedokteran
- Kaur, J., Aggarwal, G., Singh, G & Rana, A.C., 2012. Improvement of Drug Solubility Using Solid Dispersion. *Int. J. Pharm. Sci*, 4, (2), 47-50.
- Korff T., Ernest E, Nobilling R., Feldner A, Reis I., et al. 2012., Hypertension Induced Endothelial Cell Angiotensin-2 Release is Inhibited by Angiotensin-1, *The FASEB Journal*, 2012, 26-31.
- Kumar G. A., RAM K C., and CH. Chaitanya., 2011, Enhancement of Solubility and Dissolution rate of Irbesartan by Solid Dispersion technique, *Asian Journal of Pharmaceutical and Clinical Research*, 4(2), p 38-40.
- Lakshmi A.P., Meka A.K., Vamshi K., Annie V., 2012, Formulation Development of Irbesartan, (Poorly Water Soluble Drug) Immediate release Tablets, *IRJP*, 3(2), 117-120.

- Lukacs N.W., Robert M.S., Victor E., Holly L.E., Marie D.,B.,Steven L.K., 2017, Production of Chemokines, Interleukin-8 and Monocytes Chemoattractant Protein-1, During Monocyte; Endothelial Cell Interaction, *Blood Journal*, 86 (7); 2767-2773.
- Madamanchi NR., Vendrof A. And Runge MS., 2015, Oxidative Stress and Vascular Disease. Arteriosclerosis, Thrombosis and Vascular Biology, 25, 29-38.
- Malkoff, J. 2005. Non-Invasive Blood Pressure for Mice and Rats, *Animal Lab News*, 29:84-90
- Marino F., *et al.*, 2009, Agiotension Type I Receptor Expression and Interleukin-8 production in Polymorphonuclear Leukocytes of Patient With Peripheral Artheriar Desease, *Cardiovasc Pharmacol.* 54 (6), 520-524.
- Martin G., Fredeque D., AnneMarie, Vincent B., et al., 2004, Lession Progression in apoE-Deficient Mice, Implication.
- McMaster,WG, Kirabo A., Madhur MS and Harrison DG, 2015, Inflamtion, Immunity and Hypertensive End Organ Damage, *Circulation Research*, 116, p 1022-1033.
- Muhadi, 2016, JNC 8, Evidence Based Guidline, Penanganan Paien Hipertensi Dewasa, *CDK*, 43 (1), p 54-59.
- National, Heart, Lung, Blood Institution, 2012, What is High Blood Pressure, from NHLBI.
- Neutel J., Domenic A.S.,Ernesto L., Matthew R., 2000, Targetting Blood Pressure Goals and organ Protection: advances in Renin-Angiotensin System Blockade, *Cardiology Scientific Update. A Symposium at the 15th Scientific Meeting of the American Society of Hypertension.*
- Newa, M., Bhandari, K. H., Oh, D. H., et al., 2008, Enhanced Dissolution of Ibuprofen Using Solid Dispersion with Poloxamer 407, Collage of Pharmacy. Yeungnam University. Gyongsan 712-749. *Korea. Arch Pharm Res.*, vol 5, issue 4, ISSN : 2231-6876.
- Nisa U., Ulfa F., Enggar W., 2017, Aktivitas Ramuan Daun Salam, Herba Pegagan, Akar Alang-Alang dan Biji Pala pada Tikus Hipertensi yang Diinduksi Prednison dan Garam, *Jurnal Kefarmasian Indonesia*. Vol.7 No.2-Agustus, 87-94.
- Olson, J. 2001. Belajar mudah Markofologi. Penerjemah: Linda Candranat. Jakarta: EGC

- Orr AW., Sanders JM., Bevard M., Coleman E., Sarembock I J., Schwartz MA., 2005, The subendothelial extracellular matrix modulates NF-kappaB activation by flow: a potential role in atherosclerosis. *J Cell Biol.*; 169: 191–202.
- Rohatgi A., Andrew WO., Amit K., Colby RA., Kamakki B., *et.al.*, 2009, Differential Associations Between Soluble Cellular Adhesion Molecules and Atherosclerosis in the Dallas Heart Study *Arteriosclerosis, Thrombosis, and Vascular Biology*;29:1684.
- Rowe, R. C., Sheskey, P. J., Cook, W. C., &Fenton, M. E. 2012. *Handbook of pharmaceutical excipient 7th edition*. Edisi London: The Pharmaceutical Press.
- Santosh, P., Anand KM., Hanumantha RK., and Anand D., 2012, Development, Evaluation and Characterization of Solid Dispersion for Solubility and Dissolution Enhancement of Irbesartan, *IJPRC*, 2(2), 2231-2235.
- Sareen, S., Mathew,G., and Joseph, L., 2012, Improvement in Solubility of Poor Water Soluble Dugs by Solid Dispersion. *International, Journa of Pharmaceutical Investigation*, 2 (1), 12-17.
- Shargel, L., & Andrew, B.C.Yu., 2012. Applied Biopharmaceutical and Pharmacokinetics, 6th, ed., Albany New York.
- Shete AS., Yadav AV., Murthy MS.,2012, Enhancement of Dissolution rate by Chitosan based Crystal Engineering Technique, *IJPER*, 46(4), 323-325.
- Silalahi, J, 2005. Gas Nitrogen Oksida Polutan atau Vital Bagi Kehidupan Kita, *Jurnal Cermin Dunia Kedokteran*. Vol. 147, Hal.26-30.
- Simionescu M. 2007, Implications of early structural-functional changes in the endothel for vascular disease. *Arterioscler Thromb Vasc Biol.* 27: 266–274.
- Smita G., G Tapaaswaini, K. Sravanthi *at al.*, 2014, Comparative Evaluation of fast Dissolving tablet of irbesartan prepared by wet granulation and sublimation methods, *Rearch Journal of Pharmaceutical, Biological and Chemical Sciences* 5(2).p 1851-1857
- Somanath AS., Yadav A., and Murthy M.S., 2012, Enhancement of Dissolution Rate of Irbesartan by Chitosan based Crystal Engineering Technique, 66 (4), 323-325.

- Su JB.,2015, Vascular Endothelial Dysfunction and Pharmacological Treatment, *Wrd Journal Cardio*, 7 (1)719-741.1
- Sweetman, S. C., (ED). 2007 . Martindale , The Complete Drug Reference. 35th Ed. London : Pharmaceutical Press.
- Syamsudin. 2011. Buku Ajar Farmakoterapi Kardiovaskular dan Renal. Jakarta: Salemba Medika.
- Taddei S, Virdis A, Ghiadoni L, Sudano I, Salvetti A. Endothelial Dysfunction in Hypertension. *Jurnal of Cardiovascular Pharmacology*, 2001;28:11-14
- Tripathi, K.D.2003. Essential of Medical Pharmacology, 5th Edition. New Delhi :Jaypee Brothers Medical Publisher.
- Vestweber D, "Adhesion and Signaling Molecules Controlling the Transmigration of Leukocytes through Endothelium," *Immunological Reviews*, 2007; 218. 1:178-196
- Vo C L, Park C, Lee B J. Current Trends And Future Perspective Of Solid Disprsrion Containing Poorly Water-Soluble Drugs. *European Jornal Of Pharmaceutical And Bhiopharmaceutical*. 2013;09(07):1-15
- Wagh, V. T., Jagtap, V. A., Shaikh, T. J., Nandedkar, S. Y., 2012, Formulation and Evaluation of Glimepiride Solid Dispersion Tablets for Their Solubility Enhancement, *Journal of Advanced Scientific Research* 3(4):36-41.
- Wagner D.D. *et al.*, 2003. Platelets in inflammation and thrombosis. *Throm, Vasc. Biol.*,**23**: 2131–2137.
- WHO, 2013, A Global Brief on Hypertension, Silent Killer, Global Public Health crises, global publik health crisis, Genewa; Wold Health Organization.
- YamamotoY.K., Minoru H., Hirotaka W., Yoshihiro O., 2008, In Vivo and In Vitro Inhibition of Monocyte Adhesion to Endothelial Cells and Endothelial Adhesion Molecules by Eicosapentaenoic Acid *Arteriosclerosis, Thrombosis, and Vascular Biology*. 28:2173.
- Yuliandra Y., Armenia, Helmi A., 2013. Pengaruh Ekstrak Etanol Daun Tanaman Akar Mambu (*Connarus grandis* Jack) terhadap Tekanan Darah Tikus Putih Hipertensi yang Diinduksi Prednison + NaCl. *Proceeding Seminar Nasional Perkembangan Terkini Sain Farmasi dan Klinik*, III, Padang, p 264-269.

- Zaini,E., Halim, A., Soewandhi, S.N. and Setyawan, D., 2011, Peningkatan Laju Pelarutan Trimetoprim Melalui Metode Ko-kristalisasi dengan Nikotinamida, *Jurnal Farmasi Indonesia*,5,205-212.
- Zaini, E., Yeyet, C.S., Soewandhi, S.N. and Halim, A., 2010, Identifikasi interaksi fisika antara trimetoprim dan sulfametoksazol dengan metode kontak Kofler dan reaksi kristalisasi, *Majalah Farmasi Indonesia.*, 211, 32-39.
- Zao Y., *et al.*, 2014, Suppressive Effect of Irbesartan on inflammation and Apoptosis in Atherosclerotic plaques of ApoE-Mice, Molecular imaging with C-14 FDG- Tc-99m Annexin A5, *Plos One*, 9 (2).

